



Listing of the Claims

1-13. (Canceled).

14. (Currently Amended) A compound of formula II'



wherein the C ring is a 5 to 6-membered saturated carbocyclic moiety;
wherein R' is in the 1-position relative to the fused phenyl ring and is



wherein R¹ is phenyl or pyridinyl optionally substituted with one to five groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, haloalkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'}, and (C₁-C₆)alkyl, aryl, heteroaryl, cycloalkyl and heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-

C₆alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};

wherein R² is phenyl, benzothienyl or naphthyl optionally substituted with one to five groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, oxo, (C₁-C₆)alkoxy, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, -NR⁸C(O)R^{8'}, and (C₁-C₆)alkyl, aryl, heteroaryl, cycloalkyl or heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};

wherein R^a is H;

wherein R⁴ and R⁵ are hydrogen;

wherein R³ represents H, ~~halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, oxo, (C₁-C₆)alkoxy, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, -NR⁸C(O)R^{8'}, a basic moiety, or~~
(C₁-C₆)alkyl, aryl, heteroaryl, ~~cycloalkyl or heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH₂, -OH, -CN, -CF₃, (C₁-C₆)alkylamino, halo(C₁-C₆)alkyl, oxo, (C₁-C₆)alkoxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₁-C₆)alkyl, (C₂-C₆)alkenyl, (C₂-C₆)alkynyl, di(C₁-C₆)alkylamino, -C(O)R⁸, -COOR⁸, -C(O)NR⁸R^{8'}, and -NR⁸C(O)R^{8'};~~ and

wherein R⁸ and R^{8'} independently are selected from H, and

lower alkyl, aryl and heteroaryl, each of which is optionally substituted with one, two or three groups independently selected from lower alkyl, halogen, lower alkoxy, hydroxy, amino, mono- or dialkylamino, and trifluoromethyl;

provided at least one of R³, R⁴ and R⁵ is a basic moiety;

and pharmaceutically acceptable derivatives thereof.

15. (Canceled).

16. (Currently Amended) The compound of Claim 14 ~~wherein R⁴ and R⁵ are H; and~~ wherein R³ is selected from -NH₂, aminomethyl, aminoethyl, aminopropyl, isopropylaminomethyl, *t*-butylaminomethyl, *iso*-butylaminomethyl, 1-methylpropylaminomethyl, 2-methylbutylaminomethyl, 2,2'-dimethylpropylaminomethyl, 2,2',3-trimethylpropylaminomethyl, allyl-aminomethyl, isopropylaminopropyl, 1-(isobutylamino)ethyl, 1-(isopropylamino)-1-methylethyl, N-isopropyl-N-ethylaminomethyl, N-isopropyl-N-methylaminomethyl, N-*t*-butyl-N-methylaminomethyl, N-*iso*-butyl-N-methylaminomethyl, N-*t*-butyl-N-ethylaminomethyl, N-isobutyl-N-methylaminomethyl, N-*t*-butyl-N-isopropylaminomethyl, N,N-di(isopropyl)aminomethyl, N,N-dimethylaminomethyl, N,N-diethylaminomethyl, N,N-di(*t*-butyl)-aminomethyl, N,N-di(allyl)-aminomethyl, cyclopropylaminomethyl, 1-(cyclopropylamino)ethyl, cyclobutylaminomethyl, 2-(cyclobutylamino)ethyl, 1-(cyclobutylamino)ethyl, cyclopentylaminomethyl, 1-cyclopentylaminoethyl, cyclopropylmethylaminomethyl, hydroxyethylamino-allyl, isopropylamino-allyl, *t*-butylamino-allyl, cyclopropylmethylamino-allyl, piperidin-1-yl-allyl, pyrrolidin-1-yl-allyl, azetidin-1-yl-allyl, 3-hydroxypyrrolidin-1-yl-allyl, aminocarbonylethylaminomethyl, methoxyethylaminomethyl, 1-(methoxyethylamino)ethyl, 1-piperidinylmethyl, 2-(piperidin-1-yl)ethyl, 3,4-dihydropiperidin-1-ylmethyl, 4-fluoropiperidinylmethyl, 4,4'-difluoropiperidinylmethyl, 4-(piperidin-1-yl)piperidinylmethyl, 3-aminocarbonylpiperidin-1-ylmethyl, 4-(dimethylamino)piperidin-1-ylmethyl, 2,6-dimethylpiperidin-1-ylmethyl, 3,3-dimethylpiperidin-1-ylmethyl, piperidin-1-yl-2-methylethyl, 3-hydroxypiperidin-1-yl, 4-morpholinylmethyl, 4-morpholinylethyl, 1-pyrrolidinylmethyl, 2-methylpyrrolidin-1-ylmethyl, 1-(methylpyrrolidin-1-yl)ethyl, 2,5-dimethylpyrrolidin-1-ylmethyl, 1-azetidinylmethyl, 7-aza-bicyclo[2.2.1]heptyl, piperazin-1-ylmethyl, 4-methylpiperazin-1-ylmethyl, and 1-pyrrolidinylethylaminomethyl; and pharmaceutically acceptable derivatives thereof.

17-23. (Canceled).

24. (Previously Presented) The compound of Claim 14 wherein R² is 2-naphthyl.

25. (Previously Presented) The compound of Claim 14 wherein R² is 3,4-dichlorophenyl.

26. (Previously Presented) The compound of Claim 14 wherein R² is 3-trifluoromethylphenyl.

27. (Currently Amended) The compound of Claim 14 and/or pharmaceutically acceptable derivatives thereof selected from

~~3-(Naphthalen-2-ylsulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;~~

~~3-(3,4-Dichloro-benzenesulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;~~

~~3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(5-piperidin-1-ylmethyl-indan-1-yl)-propionamide;~~

~~3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydronaphthalen-1-yl)-propionamide;~~

~~(3S)-N-((1R)-6-(((1,1-dimethylethyl)amino)-methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)-sulfonyl)amino)propanamide;~~

~~(3R)-3-phenyl-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;~~

~~(3R)-N-((1R)-6-((4-fluoro-1-piperidinyl)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)-sulfonyl)amino)propanamide;~~

~~(3R)-N-((1R)-5-((4,4-difluoro-1-piperidinyl)methyl)-2,3-dihydro-1H-inden-1-yl)-3-phenyl-3-(((3-(trifluoromethyl) phenyl)sulfonyl)amino)propanamide;~~

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)-amino)propanamide;

(3R)-3-(4-fluorophenyl)-N-((1R)-6-(1-pyrrolidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)-amino)propanamide;

(3R)-N-((1R)-6-((4,4-difluoro-1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)-sulfonyl)amino)propanamide;

(3R)-3-(methyl((3-(trifluoromethyl)phenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-N-(6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-3-phenyl-N-(6-(1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(3,6-dihydro-1(2H)-pyridiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-3-(((5-chloro-1-benzothien-2-yl)sulfonyl)amino)-3-(6-(methyloxy)-3-pyridiny)-N-((1R)-6-(1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(6-(methyloxy)-3-pyridiny)-N-((1R)-6-(1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3S)-3-(4-fluorophenyl)-N-((1R)-6-(1-piperidiny)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((2-methylpropyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

~~3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;~~

~~3-(4-Fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~

~~3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{7-[(2-methoxy-ethylamino)-methyl]-chroman-4-yl}-propionamide;~~
 3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;
 3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;
 3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-propionamide;
~~N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;~~
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;
~~3-(4-Fluoro-phenyl)-N-[7-(isobutylamino-methyl)-chroman-4-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~
~~N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~
 N-(6-Cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-Fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
~~3-(4-Fluoro-phenyl)-N-(7-pyrrolidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-cyano-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;
 3-(4-tert-Butyl-benzenesulfonylamino)-N-(6-cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-propionamide;

3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-tert-butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

3-(3-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-(6-Cyclopentylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

~~N-[7-(tert-Butylamino-methyl)-6-chloro-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~

3-(4-Fluoro-phenyl)-N-[6-(4-fluoro-piperidin-1-ylmethyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(3-Chloro-phenyl)-3-(3,4-dichloro-benzenesulfonylamino)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

~~N-[7-[(Cyclopropylmethyl-amino)-methyl]-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;~~

N-[6-[(Cyclopropylmethyl-amino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

~~N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(2-chloro-5-trifluoromethyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;~~

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Chloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(3,5-Dichloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(2-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

~~(3R)-3-Phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;~~

~~(3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)propanamide;~~

~~(3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-N-((4R)-7-(4-morpholinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenylpropanamide;~~

~~(3R)-N-((4R)-7-(((1,1-Dimethylethyl)amino)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;~~

(3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

~~(3R)-N-((4R)-1-Methyl-2,2-dioxido-7-(1-piperidinylmethyl)-3,4-dihydro-1H-2,1-benzothiazin-4-yl)-3-((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide;~~

(3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-5-(1-piperidinylmethyl)-2,3-dihydro-1H-inden-1-yl)propanamide;

~~(3R)-N-((4R)-7-((4-Fluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;~~

~~(3R)-N-((4R)-7-((4,4-Difluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;~~

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(1-(((3S)-3-hydroxy-1-pyrrolidinyl)methyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-phenyl-N-((1R)-6-(1-(1-pyrrolidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-
 (((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;
 (3R)-3-((hydroxy(oxido)(3-(trifluoromethyl)phenyl)-lambda~4~-sulfanyl)amino)-N-((1R)-6-
 ((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-
 phenylpropanamide; and
 (3R)-N-((1R)-6-((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-
 ((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide.

28-62. (Canceled).